



Avon 21 Press Shower Panel

Simple. Stylish. Saves Water.

*Armitage
Shanks*



Introducing the **easy fit solution** for recreational washroom showering



The new Avon 21 self-closing shower panel is a pre-plumbed push button shower that's perfect for leisure and recreational washroom applications.

It works equally well for retrofits or new builds, as well as communal or cubicle installations.

With a modern, slim aluminium cover body concealing all fixings and polished top and tail pieces, the Avon 21 offers one of the smartest and appealing designs currently available for a press shower panel in the UK.



SIMPLE TO INSTALL & EASY TO MAINTAIN.

Ready to run

out of the box, when installing with an exposed top inlet

Flow control

with a pre-installed 6 lpm flow regulator (8 lpm also supplied)

Being pre-plumbed and lightweight means the Avon 21 is very easy to install.

For a standard exposed top inlet installation, the panel is supplied ready to run straight out of the box. For installations requiring rear/back supply, simply assemble using the recommended 90-degree elbow to ensure that the supply can then be completely concealed within the panelling.

Flow rate is controlled by the 6 lpm flow regulator pre-installed in the shower head outlet. An alternative 8 lpm flow regulator is also supplied. And being Armitage Shanks, you can be sure it complies to Regulation 4 certification.



SIMPLE TO USE & WATER SAVING.

The single operation push button is designed for easy use. When pressed, the shower runs for a pre-set time of approximately 30 seconds before automatically switching off.

The run time is ample for the user and when used in combination with our supplied choice of flow regulators, ensures efficient water usage. This anti-vandal safety shut-off feature is perfect for today's commercial environments.

The shower has no controls for temperature. Instead, connection to a single water supply pipe is required, supplying either cold or premixed water. To ensure safe temperature water delivery, the use of thermostatic mixing valve A5900AA or A5901AA is recommend.

30 seconds

run time before auto shut-off

Anti-vandal

protection for public spaces


Temperature safe

with a single cold or premixed supply



A7955AA

Avon 21 self-closing shower panel with push button




Scan the QR code to view and download full technical information, or visit:
idealspec.co.uk/product/Avon.html



Simple push button operation

Standard top inlet installation **ready to be plumbed in straight out of the box**




Service / isolation valve accepts 15mm inlet pipe. Concealed installation requires additional service / isolation elbow.

Spare part EW244NU.



Self-closing cartridge with a **long-life 500,000 cycle durability**



Wide-ranging operating pressure **1 - 5 bar dynamic**



Flow rate 6 lpm flow regulator factory fitted with alternative 8 lpm flow regulator supplied



Fixed shower head with orientable jet and **easy-clean, anti-limescale** silicone nozzles



Regulation 4 compliant
 Kiwa Regulation 4 (KUKreg4) certificate 2412707.



Durable & attractive
 injection moulded chromed ABS head and tail, body extruded aluminium cover



Water saving operation with timed flow of around **30 seconds**



Supplied pre-plumbed for connection to a single water supply pipe, either cold or premixed



WASHBASINS, WASHTROUGHS, TAPS & FITTINGS

A selection from the Armitage Shanks collection to meet the needs of high-traffic recreational washrooms and changing facilities.



EDIT S WASHBASINS

Contemporary square design for countertop use or wall mounting.



50cm Washbasin, 1 taphole with overflow
S079901 [Learn more](#)



60cm Under Countertop Washbasin, no taphole with overflow
S080801 [Learn more](#)



50cm Semi-Countertop Washbasin, 1 taphole with overflow
S081701 [Learn more](#)



40cm Vessel Washbasin, no taphole, no overflow
S081601 [Learn more](#)

EDIT WASHTROUGHS

Contemporary solid surface washtroughs designed for modern washrooms.

- 2-, 3- and 4-person troughs
- Solid surface material - durable and repairable
- Wall or vanity mounting
- Hygienic non-porous surface



120cm 2-person washtrough
S121201 [Learn more](#)



180cm 3-person washtrough
S121301 [Learn more](#)



240cm 4-person washtrough
S121401 [Learn more](#)

SILHOUETTE WASHTROUGHS

Contemporary solid surface washtroughs with splashback upstands.

- 2-, 3-, 4- and 5-person troughs
- With splashback upstands and wastes
- Solid surface material - durable and repairable
- Wall or vanity mounting
- Hygienic non-porous surface



120cm 2-person washtrough with upstand & waste
S063301 [Learn more](#)



180cm 3-person washtrough with upstand & waste
S063401 [Learn more](#)



240cm 4-person washtrough with upstand & waste
S063501 [Learn more](#)



300cm 5-person washtrough with upstand & waste
S063601 [Learn more](#)

SENSORFLOW 21 TAPS

Compact sensor operated hands-free electronic panel and washbasin mounted basin spouts.

- Hygienic hands-free operation
- Water saving: 3.7 litre per minute flow regulator
- Vandal resistant



230mm panel mounted spout with integral sensor, mains operation

A4849AA [Learn more](#)

A4848AA Battery operation

A4850AA Link unit for use with mains operated tap



Compact washbasin mounted spout with integral sensor, mains operation

A4852AA [Learn more](#)

A4851AA Battery operation

A4853AA Link unit for use with mains operated tap

CONTOUR 21 SOAP DISPENSERS

Designed to complement the Avon 21 and Sensorflow 21 ranges of taps and available in upright and angled washbasin mounted, plus panel mounted models.

- Simple press operation
- Excellent durability
- Adjustable soap volume
- Easy to clean



Panel mounted soap dispenser

A9209AA [Learn more](#)



Angular washbasin mounted soap dispenser

A9210AA [Learn more](#)



Washbasin mounted upright soap dispenser*

A9208AA [Learn more](#)

AVON 21 TAPS

Water and energy saving self-closing design, ideal for use in high traffic washrooms.

- 3.7 litre per minute flow regulator
- Adjustable timed shut off
- Anti-vandal outlets



Self-closing push button, 1 hole washbasin mixer, with variable temperature control

B8263AA [Learn more](#)

B8861AA With flexible hoses or copper tails



Self-closing push button, non-concussive washbasin pillar taps (pair), with dual hot and cold indices

B8267AA [Learn more](#)

EDIT L WC

Sleek, tapered design perfect for the contemporary washroom installations. Equipped with AquaBlade® flush technology for cleaner, quieter and smarter flush.

- Water saving flush design
- Quick release slow close seat option for easy cleaning



Back to Wall WC Pan with soft close Edit L Toilet Seat & Cover S082001

S081801 [Learn more](#)

CONTOUR 21+ WCS

Equipped with improved rimless flushing technology and a ultra-smooth, easy clean glaze with anti-microbial properties.

- Water efficient
- Anti-microbial glaze with hydrophilic properties
- Rimless flush technology
- Raised outlet for multiple installations
- Slim slow close seat option



Back-to-wall rimless WC pan with slim, soft close Contour 21+ toilet seat and cover S067001

S0439HY [Learn more](#)



Back-to-wall raised height rimless WC pan with Contour 21+ toilet seat with retaining buffers S4066RN

S0440HY [Learn more](#)



*Requires separate soap bottle

CONCEALA 3 CISTERNS
& FLUSH ACTUATORS

A range of reliable and economical concealed cisterns, flush plates and button, designed to deliver years of trouble-free service.

- Pre-fitted cistern components
- Pneumatic actuation
- Side, bottom and top supply options available
- Flush volume adjustable to 4.5/3 litres or 4/2.6 litres
- Water saving, delay fill inlet valve
- Contemporary flushplate & button actuator designs
- Smooth actuation



Dual flush 6/4 adjustable to 4/2.6 litres flush cistern, side inlet, pneumatic actuation with internal overflow & flushpipe included

S332667 [Learn more](#)



Dual flush 6/4 adjustable to 4/2.6 litres flush cistern, top/bottom inlet, pneumatic actuation with internal overflow & flushpipe included

S332767 [Learn more](#)



Sensorflow 21 single flush 6 litre cistern, side inlet, panel mounted touch free sensor actuation, adjustable to low water volumes (4.5 or 4 litres), internal overflow, flushpipe included

S333367 [Learn more](#)



Contemporary flushplate, dual flush, chrome

S1082AA [Learn more](#)



Contemporary flushplate, dual flush, black

S1082A6 [Learn more](#)



Push button, dual flush, pneumatic, chrome

S1084AA [Learn more](#)



Push button, dual flush, pneumatic, black

S1084A6 [Learn more](#)



1 1/4" Contemporary metal bottle trap, 75mm seal

E0079AA [Learn more](#)



TECHNICAL INFORMATION

For further product and specifications, see the Avon 21 self-closing shower panel on IdealSpec.co.uk. Email specsupport@idealstandard.com, or for project pricing requests estimating@idealstandard.com, or call **01543 413414**.

GUARANTEE

Avon 21 self-closing shower panels are covered by a 5-year guarantee against manufacturing defects.

Armitage Shanks pursue a policy of continuing improvement in design and performance of our products. The right is therefore reserved to vary specifications without notice. While great care has been taken to ensure accuracy of all prices, product codes, descriptions and dimensions, Armitage Shanks reserves the right to correct errors or misprints.

Armitage Shanks

Armitage,
Rugeley,
Staffordshire,
WS15 4BT,
England
Tel: 01543 490253

Armitage Shanks Dublin Ltd

3013 Lake Drive,
Citywest Business Campus,
Tallaght,
Dublin 24 YXW2,
Ireland
Tel: 00353 126 78889



*Armitage
Shanks*

IDEALSPEC.CO.UK
IDEALSTANDARD.CO.UK
IDEALSTANDARD.IE